ONTARIO

1996



Pt1 Black Spruce 6/14
Northern waterthrush 60
YRWA 100
MAWA 150
BBWA 70
Hethrush? 200m

Pt 1 Stream near L=13 m
Veg 30% open 5% low shrubs
10% Birch ~~[illegible]~~ [illegible]
60% Black spruce [illegible]
50% moss
18% [illegible]
20% Forbs
5% [illegible]
8% Alder

Bs = 8 m
Birch 10, 12 m
Birch 5, 5, 1 m
0

Pt 2 Return 50?

Mew 10 M Goldfinch 25 M

Nuthatch 150 M

Hermit Thrush 300 M

Winter Wren 40 M

BBW 20 M

Vireo 16 M

Yellow-rumped Warbler 10 M

30 % open

15 % Brush

55 % Bspruce

20 % Mixed

30 % b (hardwood sapling)

BJ = 12 M

BJ = 15 M

BJ = 6, 8

BJ 6, 8

BJ = 6 M

0

BJ = 8 M

470

Mixed Bs / Birch

Am Redstart ♂

8/10/15

B-1

Quercus 10%

Fraxinus 1%

Rosa 1%

Rosh off the Rim

Ovenbird 3/15 brush

large 20 m hw tree

A-1

100 % conifer

471

Inw ♀ pick up nesting

A-1

4/15 mbrk (lowlv

472

Chipping Sparrow 8/15 M

C-2 slow building N2

100 % conifer

473

Yellow Warbler 9/15

pitch pine Dense C-2

100 % conifer

474

475

Med

476

Brown ♂

3/7 prunes

B-2 rebound job

20% com. pers

Cipe Mag Webber ♂, 2

477

♂ 22/25 [illegible]

C-2 [illegible] results

10 seconds left

476

♂ 12/15 Bishop

[illegible]

C-3

479

Bishop-Brown

Brown ♂ 15/20

C-3

probe results

90 [illegible]

Terry ♂ [illegible]

12/25 [illegible]

C-4 probe results

80% confer

480

[illegible] ♂ 12/25 m C-2

probe results

80% confer

481

4 Webber NS 10/12 Brad

50% confer

482

Jim Beck - Brooklyn

A-1

Gambler

483

B Spring 10/15 B-3

rebound [illegible] results

50% [illegible]

Hewa 8/12 Bishop

C-3 rebound

results

[illegible]

90 [illegible]

484

BBwa

10/15 C-3

485

The shadows 6/19 pm

Arizona Backpacker

A-2 5/7/20

Space

486

Mink Q

2/4 m v. brown | 18 m black

glen log

large 10 cm black log

glen Aspen

A-1

lim branch quicksilver

487

Blue spruce Rx

Rifle 8/6/12

C-1

488

Mink Q 8/10/12 Bar

C-2

489

490

Pitkins

7/10/12

large stump

B-2 lim branch

10 bronze

Mean ♂

2 | 6 | 25

R.i

C-3 US 10cm [illegible]

20%

491

Blackburn-Bank, Area

4 Rhet NS ♂

2 | 7 | 15

[illegible] glaucoides

C-3

30% conifer

492

493

Blehum ♂ 22/27 Bank

C-2

5 lm US ib

glabb

[illegible]

20% conifer

Tetrachyronia pilosa — Mixed Aspen-Spruce

Bank ♂

8 | 12 Bank

3-2 Stem lean back

8% conifer

494

Rubus pubescens Bank

C-3

1cm 1.1m US lob

10% conifer

495

Mean NS ♂

5/10 Bank / 15m

C-2 25 cm US

Thu to Wh spruce A-1

40 cm US

30% conifer

496

497

Rhyhet ♂ S 11/12 BS

5m

C-3 7 cm Tyr thur mills

70% conifer

♂ BBW
+ 5/15 birch

C-1 peck down +2

5mm 10)3 cm per

498

R Euro
5/10 birch

C-1 hyelm
5mm
25)3 cm per

499

♀ Mowa
8/15 Aspen

B-3
5mm ⌀ 1hr +2
hyel 15cm thowto
20)3 cm per

500

♂ Fm Resistant
6/7 willow 15 Aspen
B 1cm back ⌀ 12cm +3
(6)3 cm per

501

RED 10/15 Aspen/15
B-2
20cm hyel 1h
50cm ⌀ 1h
5/3 cm per

502

♀ Mowa

503

3/4 willow ⌀ 10cm 1h
⌀ 60cm hyel 1h
" " " 1h

C-2 3mm back
10)3 cm per

504

BTBW ♂ mixed spruce/birch
11/15 Birch

B 7mm ⌀ 40 cm
5)3 cm per

Beach pr comp

10/15 ws/22

C-3 3mm
US 50 + hx needles
glen brook
US 3mm bx needles
60 to confer

505

Jackson Lake 6/22
owner
Nice of 10/15 m 13/0
70 long
3mm hook
crab needles C-2

506

Aspen
RTV
5/30/30
C-2
30 in US 16
1 in hook
20 to confer

507

Left
13/15 Brook
Salty 3m neck
1 cm brook
Bait
10 to confer

508

Lake Bridger
C - open 3cm
2m long tank
10 in line

509

Chased REL small fish

510

Left 4/10 hopper
B 2cm open
50cm legs high
- high pile
40 cm tail

Left

12/15 m Back
1m Bu
1m lyc lb
1m lyc lb
2m lyc lb
2m lyc lb

511

Left 12/13 Back
1m open
1.2m hollows

512

LM 25/25 Aspm
C-3 1m lyc lb
1cm branch

513

Rev
Outer Branch
C-3 5mm
lyc + hier lymph at branch tip
30 lymph

514

Rev 8/10 [illegible]
R
B 2cm
10 5cm hx [illegible]
30 lo

515

516

Branch 8/12
(from [illegible])
pt lo center

A-1
[illegible] 5cm ushu
curled branch tip

Mark 2/4 [illegible] 15m
d A-1 5mm lyc 50m
15 lymph (R)

517

Chardonnay

Cow ↗

1/2M Aspen
B-2
glass lb
30 bottles

518

Rev 1/2M willow

B-2 glass lb
30 bottles

519

Blackberry-Fig-Aspen

Merlot 10/12 Aspen
1m back US-Lee Dom
lb
70 bottles per

520

Reviews

8/10 Black/Ro
2m back B-2
20 bottles
oil 5 gal lb

521

522

Cow 6/10 black
Flower
5mm back B-2
large 30cm
glass back
leaf lb
back
large 30cm lb

Comp - 523
edge Rev
2/6 cherry/b
B 1m back
30cm US (pipe)
30 bottles

oil 5 2/4/15 cherry
5mm B-1
glass pin
US 15cm pill
30 bottles

524

Rev 4/8M Aspen
B5 30cm 1m back
large 30cm B-2
0 bottles

525

Left 4/6 Aspen
[illegible]
[illegible] brch B-1
in logs wilbur leaf

526

Maple 2/4 willow/1
B-1 slim trunk
30% [illegible]

527

C. cylindr 2/5 BS
C-1 slim trunk
60% [illegible]

528 529

BS - Aspen
DE [illegible] 5/6 BS
C-2 slim [illegible]
50% [illegible]
[illegible]

~~529~~
528

BCCh 20/30 WS
C-2 g/4 3
Cedar gl
20%

530

REV 6/12 B-1 Birch
10 cm DS
10 cm US

531

AM Re 10/20 Asp

532

ds lm → trunk
30%

533

Aspen dm need

unplyd ~~6/1~~ 10/13 spec

B-1 2cm Sold 3m

B-ch 6/10m

A-open 3cm

1.5m vs 11

70cm lyr 11

3mo old

5/0 cm up

Mach New 534

2/15 Aspen

A-2 vs 40cm b

5mm

5/0 cm up

Nawa 12/10 Bop 535

B-1 5mm

10cm ds ready

60)0

6/20 Colo S Blue Rd

4/6 Aspen 536

5mm

B-2

vs 50cm bl

2/0 cm.

Cmb Ash NSP 537

9/10 WS/17

glen willo

C-3

5mm

5/0 cm

Mach New 538

6/8 Bach/12

B-3 5mm vs 50cm

5/0

4RU NOV

8/10 WS RO

539

C-3 [illegible]
[illegible]
[illegible]
[illegible]
30 [illegible] confer

CSW 5 14/15 B-2

C-1 [illegible] lb

540

5mm
40 [illegible] confer

CSW :

541

10/12
C-3 5mm
vs 2cm
[illegible]
60 [illegible]

CSW NOV

1/2 [illegible] 120
[illegible]
5mm B-2
30%

542

[illegible] 4

5mm [illegible]
vs 70cm lb
lsc 70cm lb

543

B-2
30%

RLCHC-3

544

2/3 elder 18
h+ lb
3mm
0 [illegible] confer

CSW ♂

10/15/15 bcul

B-2

2cm hook

US 5cm hx capsule

US 70cm Bright

30% sonic

545

LM

15/20/20 Birch

Birch-free Aspen

1cm hook B-2

50cm US 1b

50cm US 1b

10%

546

Inv 26 Mitjons Lynx Rd

gang 10/12/12 Aspen

Aspen-Pine

C-2 slender x 3

two pulls

tum

40% conifer

542

11/12 Aspen NA obs ch. sp

US 5cm 1b

slim cottonwood

B-2 long 1cm pitch

7cm

30% conifer

548

549

♂ Mjm 11/12 Aspen/fir

B-2 1cm

2cm water stem pitch

Birch 12/15 JP

C-2 hv needles

30% counter 550

NMuseum

216 Birch

C-2 5mm

rv sl

" h

5mm

60% in 551

Richyhr

hight JP/1r

Pen brch B-2

15 cm hyt hv m

1T in 3 hv needles

80% con. 552

Richyhr

10/15 hv

C-2

5mm

hyt 10m high

hyt dis sm hy on needles

100% counter 553

Richyhr 10/15 hv

River 5mm

sl ne B-1 554

hx needle

hx ren

100% hv

G Cypress

Cypress 7/1r JP 555

B 2mm hr sl needles

vs 3cm hv 100%

hx

gl needles 556

Pt Pine small 12m long

75% hv

Symptoms [illegible] Road
13/14 M Aspen
[illegible] 50cm
30% center
5mm C-2

557

PL [illegible]
19/20 Aspen
line br C-3
sl lh
sl lh
(w 5cm)
opacum

cloud [illegible] RCV
RCV
20/20
5mm C-3
lyc 50cm lines,
opacum

559

LCPL
4/30 A - 3cm
branch
ls 1m to branch
0%

760

Nov 12/30 C 2cm branch
lyc 70cm lb
DS stomach ?
0%

761

Left 8/12 Birch/25

US 2m le
1 je lm re

2cm B-1 562

0%

Left 12 Deadline
6/25 Aspen 563

C-3 sm
US small
lye 1.2 lb (bark

0% conifer

Pm
Ad or hre
♂ Yellow Birch 6/10/20
C-open sensitive
twig

10% conifer (113)

♂ Yellow Birch
some chlorosis 6/6
C-2 twig slender
10% foraging 1184

New q
5/12 BS
A-3 terminal
slender
10% [illegible] 1185

Yellow NS (see 1a)
5/12 BS
C-3 US small
needle 1186

1 [illegible] of [illegible] food

2/2 [illegible] red

le

C-7 [illegible]

[illegible] counter

1187

NAWQ [illegible]

A-2 8/1+

2cm lye [illegible]

[illegible] counter

1188

[illegible] [illegible]

10/12/12

C-2 rd

5mm

90% [illegible]

1189

DEJ 12/17 JP

[illegible]

2cm B-2

DS 20cm

1190

Dec 1/2 [illegible]

5m

B [illegible]

1191

Dec 10/1+ Ap

B [illegible]

2cm [illegible]

B-2

1192

[illegible]

12 [illegible]

[illegible]

1193

NAWQ 10/15/15 [illegible]

[illegible] A-1

[illegible]

C-2

rd [illegible]

1194

BBW
8/19 BS
[illegible] volunteer
C-2
skin flight +
[illegible] tag

1198

chin / [illegible]
1/3 US
20 [illegible]
skin [illegible]
C-1

1196

Ricky 12/15 JP
[illegible]
B-3 US 10
leg lower
1cm break

1197

6 Chytel footballs
Lock 8/15 M
B - 7mm back
US 10cm
US 10cm thin
[illegible] volunteer

1198

The G
4/12 A-1
1cm US [illegible] + L
[illegible] volunteer

1199

Bach. 11/13 [illegible]
7mm br
C-1 probe JP [illegible]
leg [illegible] skin spunk
leg skin hu JP N + L
skin JP [illegible]
[illegible] volunteer

1200

Q Byr

2 | 8 BS

C-3

3mm
gren folje x 2

US 5mm folje

100% konfer

1200

L BBW 5/7 Brok

1201

C-2

US 5l 1h
US 10cm
US 2cm
5l
US 2cm

3mm

90% konfer

Bs gl 1.0

Buch

2 | 7m BS | 1r

A-1
gren br
lin brok
tæcnik

1202

10%

Rchylek

C-2

3mm lyx fæn by nødte

1203

7/12 WS

10%

Timmins Cup
- some test chapter checks

Bw 3 (chasing)
isolating bus fetus!

BBw ♂ 10/15 Asper - (checks long)
LS 30cm Cp. lb
C-1
70% conidia

1204

UCbyTek

10/15 Brck C-2
large 50cm to B needles
large 30cm hu needles bu
80% conidia

1205

15/20 Brck
Det. Asper
C-3 4cm hu
C-1
20% conidia

1206

putj chlamydosporic Asper

Pk wrld 17/20
C-2
glcm lb
20% conidia

1207

Blackhorn wrb ♂ Pd. Asper
14/18 A 1cm gl lb
30%

1208

B Sp. Timmins
4/7 Pl 3L ♂
4/6 chang 10cm
LS 30cm lb
lyc 60cm lb
2cm B-open
90% conidia

1209

NAW 5
5/7 MS 100% conidia
C-2 5cm
glcm needles

1210

JP-Sp.

4 [illegible]

10/22 JP

C-1 [illegible]

1211

6 C Kayak 11/20

1212

[illegible]

5mm C-1

[illegible]

100 [illegible]

6/29 Abitibi Rd BJ

4 BHy

8/10 Brook

1213

1m brook open

[illegible] lb

50cm lyre lb

30cm lyre lb

4M lyre [illegible]

50cm [illegible]

[illegible]

4 BHy 9/

6/14 BJ

1214

A 2cm open

50cm ds [illegible]

50cm [illegible]

100 [illegible]

4 BHy 10/14 B sp

1215

B-2cm brook

40cm lyre to trk x2

100 [illegible]

Eider [illegible]

LPHy

[illegible] dead Aspen

1216

(2m lyre lb)

C-2

[illegible] lb

[illegible]

Left 15/16 Birch
A 7mm open
70cm hyc lb
10/0 conifer (OP) 1217

Left 18/20 C-3
5mm
1m stalk lb
30/0 conifer 1218

Beech 1m/4m/4m
surface
deproliferation
bracket
0/0 conifer 1219

10/18/18
1 yrs B - 2cm open 1220
1m hyc + hawk lb
20cm dy + hyc + lb
0/0 conifer

Left 10/20/20 Birch
A-open 2cm
70cm stalk detach
0/0 conifer 1221

Left 10/20/20 Birch
C-3 8mm
50cm hyc lb
1m hyc lb
0/0 ivy 1222

Left Birch
10/18 m
2cm B-open
c/s B Meter
0/0 conifer 1223

Left 9/20 hr Birch
B - 5cm
1m hyc lb
70cm hyc lb
0/0 conifer 1224

R ear NS
Birch
1cm hr B2
8/10/20
US 40cm hair 1b
70)cm R

1225

Left 19/20/20 Birch
1cm B-open
US 40cm thick
1b
70)cm R

1226

Birch
Reure 3cm A-open
TJo
1m lye 1b

1227

Left 10/20 UP
B-2cm
US 1m nail/ss
90)cm R

1228

Left NS 9/12 Birch
A-2 2cm US 60cm 1b
60)cm R

1229

chsp US 8/12 Birch
Slem 1b
C-3 5m 40)cm R

1230

Ch sp
8/15 C-3
5cm US
40cm US
10cm US
Birch 1b
10)cm R

1231

Left DB NS
5/7/20
1m lye bicb back
2cm B-open
0/0

1232

LPM Sing 6/10/15
Birch
A - 3cm open
US 1m lb birch
2 Jo conifer
1233

left birch
5m dead birch
2m lye birch bar 2
A - open 5cm
5/5/17
0 Jo
1234

Left birch 12/15/15
US 30cm birch 1cm
US 50cm birch C-3
0 Jo conifer
1235

left birch
3cm C-3 open Cdus
30cm W heavy
Jo conifer
1236

Phurco 17/17/17 Birch
20cm W lev
5m C-3
0 Jo conifer
1237

10 Jo
Q Birch 17/18/18 Birch
US 3cm
lye 50cm birch
10 Jo
1238

C-2
Left 6/20 SP US 20cm birch 1239
US stock heavy
Jo conifer
6 Jo conifer

Pre-hook

8/15/15 Brd

C-2 5mm

slly lm

lge 8cm lb

60% conf

1240

JP

Gch 10/15 m JP/15

C-2

3mm

slnty

20cm lgt needles

90% conf. Pr

bird-pie

Nurse Gsi

10/15/20 bi:cl

C-3 5mm

rdsl lb

50% conf.

1242

YRL

8/12 RBS

lm hook

B-3 slm unclear

100%

1243

NAm 8/12 Brd

C-2 5mm

sklb

lg 10 hy

30% conf.

Cochylis

1244

8/12 BS

3mm B-3

sl hy

lg 15cm hooking

slantj

100% conf.

1245

Chsp 5/7 Juvenile /15
C-3
5mm 80% conv
5% folyz

1246

LFI 1/6 Branch/15
2cm A-open
Sally 40cm
10% conv

1247

Rev 6/15 Branch
2cm B-open
10cm terminal lb
1 inch lx lb

1248
10% conv

Rev 19/20/20 Branch
C-3 fresh
5mm lx lb
40% conv

1249

Gnav 15/20 Jp
B-3
5mm
large 50cm nest
large 20cm nests
40%

1250

Lem 10
10/15/15
C-1
1cm hook
lyc 10cm twig
40% conv

1251

LFI 8/15 Branch
5cm stump
3m → left of branch
10% conv. fer

1252

Chsp
10/12 Jp/18
B-3
5mm
sb-adult
97% conv

1253

7/1 Etheridge Gymnasy

Brock with 3 on price

An Runners 18/17

L-3

5mm

12cm lose left

2 Second after

1254

Mylwaukee

3/10 Brock 110

Skin 1b x2

US 1b 2 cm

5mm

L-3

stolen

1255

LH 5

2/3 Chang

L-1 5mm

40% course

Brown to left

1256

Brock

1. 15/20 B-R

5mm by skin

60% course

1257

2. 6/12 BJ

slow tangent x2

homer brock

L-3 4mm

1258

BS-Rock

YRfy 7/10/25 Brock

L-2 5mm

US 20mm 1b

+2

Jackpot 10/20

L-1 5mm

1mm dye tag +

60% course

1259

Tafly B-S Brock Rfy

6/12

deadtrack 2cm cover

1m US block 1b

60% course

1260

Cpln of Sing 2

3/4 Pinchy/15m
20 cm us hx tuj PC
gtrd glm 4 of Apo
US hx sowing Pe
glm 1t

1261

5/0 cm/sw

Am Redstrt and of
3/5 Birch/Lin
us 5cm 1b
lyc brownfrch 10cm
3mm B-opr
60/0 cm/sw

1262

RE NJ B-3 4/6 cherry/lir
5mm
Birch-pine cherry
pb rock wt a plant
(front?)

1263

5/0 cm/sw
5 NJ
4m 6/7 Delphini
C-3 5mm
glm fuge
30/0 cm/sw

1264

Left Birch-Pe
6/15
B-opr
cm
~~tmt~~ 1b
10/0 cm/sw

1265

Cl Prospm
3/4 Juper/5
C-3 5m glm fuge
5/0 cm/sw

1266

BT 6m ♀ 12/13 Birch
B-3
us 5cm hx 1b
glm 1b 1h
5cm
5/0 cm/sw

1267

Tm of Mel 5
3/6/20 5mm
Birch
B-2 glm 1b
10mm lyc Pa Birch
20/0 cm/sw

1260

Beech

10/15 Brch /20

B - 7

5cm brch

hu probe

10/0 ion

1269

Blue 22/25 Juniper

C-1 5mm brch

resistant shoot

Conc!

40/0 conifer

1270

Reuns

C-3 brch

18/8 M

1M lye leaf

40/0 con

x glen leaf

hydrazine leaf

1271

Rehydr 2 /20

10/20 JP

B-1

shoot needles lenticel

vs 5cm hu x2 needles

30/0 conifer

1272

Yellow 14/20 JP

4/6 brch

B-3

time 2cm brch rd?

Brd + C-3 rd conifer

vs Schwarzwald

crich dum pine

rd brch ell

1273

Gulo

RHU B. ch

7/7/20

A-2

Smooth

1m by thov. 1b

60/0 counter

1274

Left

A. 6/12 Bach/12

2cm A-opr

VS 70 cm lock

0/0 counter

1275

7/2 Kettle Lake long bucket

10/2 Jaeger

Fuzzy NAWA

B-2/3 slim necklaces 2

long back

9/10 counter

1276

dropped off

12/15 Jp/15

B-3

10 cm long necks

1cm

100/0 counter

1272

7/10/17 Jp

B-2 lamb

large 20 cm necks

100/0 counter

1278

SP-B:

Immature Red NO

6/8 Birch/12

3mm

B-3 20cm hyalb

40% cumulus

1279

clumy spore p-

several fungi

not worth

bacteria

[illegible]

1280

Book

[illegible] JP/20

B-3 Jan

hx needles

rd needles

hv needles

rd [illegible]

[illegible]

1281

Nature of fungi

20/20 JP [illegible]

Jan C-2

90% cumulus

1201

dry fg hv tech [illegible] 5/20 JP

100% cumulus

1283

NAC 3 4/6

C-2 Jan

rd [illegible]

[illegible] color.

1284

U NAC

2/3 willow/12

sim lb

↓

wp 3/12

A 2cm vs 3cm

needles

[illegible] color

1285

Blue ♂
16/17 JP
C-3 5m
~~stra~~ lge 70cm
bs 10cm
gl + drop
ds 50cm
lge 20cm + hov
95% comfort

1286

♂ Birchman
8/14 JP
gl needs
bs 5cm
lge 50cm
front glen nearly
B-2 5mm tag
90% comfort
4 Nov 10/15 Jackpe
lge 70cm
US 1 on Hatchery
95% comfort

1287

1288

Rev Birch
10/15/20
80% comfort
C-2
lun hol
ds 70cm
JP - Asgr

1289

NAUK ♂
8/14 Birch
B-2 5mm
large 50cm
Ed glen
80% comfort

1290

chip ground → 15 Jorgen
chip ground

1291
1292

chpm vocum glen
0 cmo rj (chip)

1293

50% comfort

[illegible] 5/12 [illegible]

[illegible]

C-2 [illegible]

60% [illegible]

1294

[illegible]

[illegible]

2/3 JP

[illegible]

[illegible]

C-2

5mm

[illegible]

1295

LKI 12/17 Brch

A 2cm [illegible]

[illegible]

1296

Brch [illegible]

12/15 [illegible]

40% [illegible]

C-3

5mm

[illegible]

1298

Brch 12/17 JP

C-2 5mm

hx [illegible]

[illegible]

[illegible]

40% [illegible]

An [illegible] 5/10 JP/17

3. 2cm br.

40% [illegible]

B open

1299

Brch 3 8/10 A. [illegible]

0 [illegible]

[illegible]

[illegible]

C-1

1300

Lem

8/10 Aspen

2cm bark

B-open

2 MVS

5/0 cm

1301

chsp 4/8/2 JP

B lem bark

shen needles

Clay

50% cm

1302

BB 5/5 +2/15 Juniper

100% cover

1303

A -3 lem

vs Sen may

shen needles

Beech 10/17 JP

2cm bark

B-1

shen bark

95% cover

1304

7/3 - Kettle Lake - no wind

Rcky 1/3 Aspen /20

vs 3cm lb

5mm B-1

70% cover

1305

Every [illegible] in camp

[illegible]

♀ vs lem for 2 [illegible]

8/15 m Aspen.

Forget about this species.

Aspen Grove
SW <u>very</u> US 10/12
/ Aspen
in
+ [illegible] tufa [illegible]

Betula · 14/15 SP
80% conifer
C-2 glen Polygeyz
Tsm

[illegible]
4/5 125 Aspen
C-2 Osm
Glean
0/0

Grey [illegible] 8/14 B)
Bem B-1
[illegible]
100%

plus [illegible]

231 -
255
265-272

5 FIR 8.

Tree

Willow = Wi
Alder = Al
Aspen As
White Wis
Black BS
Jack JP
Balsam BF
Balsam Poplar BP
Red Pine PR
Vhanvi
Tamarack Ta
Sorbus So
Maple Ma
Birch

Pinch
Tw
Br
Tr
Gr
Ne
Le
Pe
Co

Substrate
LL = Lowlat
UL upplant
Le
Li
Qi
DL
LC
Sw

Mannuvers
St
hu
hs
hd
hx
US
DS
Lu
Sa
RS
Ru
RD
hv

gl
er
Ch
ka

1 = 9
8
=25

1 = 8

5
5

=11

Birds of the month

Cape May Warbler August

Lazuli Bunting September

Bobolink November

Least Flycatcher December

Purple Martin January

Yellow-billed Cuckoo March

Swainson's Hawk April

Buff-breasted Sandpiper May

Swamp Sparrow June

Worm-eating Warbler July



White-eyed Vireo Aug.

Harlequin Duck September

6/27

NAW IIII	4	𝍸 IIII =9
REV 𝍸 IIII	10	𝍸 III =8
LAFI 6, 𝍸 8	11	𝍸 𝍸 𝍸 𝍸 =25
BECH IIII	4	IIII =4
MAWA 𝍸 I	6	
CSW IIII	4	I
YBW 𝍸 𝍸 III	13	𝍸 III =8
GCK III	3	IIII =4
DEJ IIII	4	
~~REV IIII~~	~~3~~	
AMRE I	1	𝍸 =5
YBFI I	1	𝍸 =5
CSW I	1	I
~~[illegible]~~		
BBV II	2	𝍸 =5
CMW II	2	
CWA II	2	
~~[illegible]~~		I
~~YRW~~ BTBW	3	𝍸 𝍸 I =11
CHSP III	5	I
RCKI 𝍸	1	II
PHVI I	2	II
~~BBS~~ BOBO II		𝍸
BLWA		
GRSJ		I